

E-TENDER DOCUMENT FOR
Installation of CCTV at Boy's Hostel of Institute of
Hotel Management, Bhubaneswar.

No.IHM BHUBANESWAR/2024-25/ **594**

Dated :21.08.2024

INSTITUTE OF HOTEL MANAGEMENT
CATERING TECHNOLOGY & APPLIED NUTRITION
V.S.S. NAGAR , BHUBANESWAR-751010
Tel No.(0674) 2589241, website-www.ihmbbs.org

Cost of E-Tender Document: - 1000/-

Total pages -33



INSTITUTE OF HOTEL MANAGEMENT
CATERING TECHNOLOGY & APPLIED NUTRITION
V.S.S. NAGAR , BHUBANESWAR-751010
Tel No.(0674) 2589241, website-www.ihmbbs.org

E-TENDER NOTICE

E-tenders are invited from the established Individuals/Companies/Firms of locality for Installation for CCTV.

The tender forms may be down loaded from our website www.ihmbbs.org and www.tenderwizard.com/IHM. The tender paper completed in all respects should be uploaded in e-tender portal www.tenderwizard.com/IHM. Hard copy of EMD & Paper cost dispatched by Speed Post/Regd. Post only. The last date for receiving of tender will be 05.09.2024, 5.00p.m. The tender paper shall be opened at 11.30 a.m. on dt.06.09.2024 through online in presence of tenderers or their authorized representatives who may wish to be present. The undersigned reserves the right to cancel any or all the tenders without assigning any reason.

**Sd/-
PRINCIPAL**

News paper NIT



**INSTITUTE OF HOTEL MANAGEMENT
CATERING TECHNOLOGY & APPLIED NUTRITION
V.S.S. NAGAR , BHUBANESWAR-751007
Tel No.(0674) 2589241, website-www.ihmbbs.org**

No. IHM BHUBANESWAR/2024-25/594

Dtd 21.08.2024

NOTICE INVITING TENDER

E-tender is invited by IHM, Bhubaneswar on two bid system from Individuals/Companies/Firms registered in local fulfilling the eligibility conditions, as per tender document for annual maintenance contract for sewerage treatment plant at Institute of Hotel Management, Bhubaneswar.

Last date of submission of tender :-Upto 17.00 hrs of 05.09.2024

For details please visit our websites www.tenderwizard.com/IHM or www.ihmbbsr.org

**Sd/-
PRINCIPAL**

TENDER FORM

SECTION-I

**INSTITUTE OF HOTEL MANAGEMENT
CATERING TECHNOLOGY & APPLIED NUTRITION
V.S.S. NAGAR , BHUBANESWAR-751010
Tel No.(0674) 2589241, website-www.ihmbbs.org**

NOTICE INVITING E-TENDER

1. On behalf of IHM, Bhubaneswar e-Tender (Open tender) is invited on two stage bidding system from Individuals/Companies/Firms registered in local fulfilling the eligibility conditions, as per tender document.

Sl. No	Item	Particulars
1	Tender Notice No & date	IHM BHUBANESWAR/2020-21/594 Dt 21.08.2024
2	Tender item	For installation of CCTV at Boy's Hostel of Institute of Hotel Management, Bhubaneswar.
3	Cost of tender paper	The cost of Bid security and cost of Tender paper as in section-II to be paid through online Banking/ RTGS / NEFT / DD as per the Section-I, Para 2(b)
4	Cost of Tender document	Rs 1000/- (MSME/NSIC Bidder exempted)
5	EMD	Rs 15,000/- (MSME/NSIC Bidder exempted)

Note: In case the last date of submission /opening of bid is declared to be a holiday, last date of submission / opening of bid will get shifted automatically to next working day at the same scheduled time. Any change in bid submission/ opening date due to any other unavoidable reasons will be notified through the IHM Bhubaneswar web site and/ or e-Tender Portal and/or newspapers IHM Bhubaneswar is the final authority to accept or reject the tender bids.

2a) The Tender document can be downloaded from the website: www.tenderwizard.com/IHM & www.ihmbbsr.org and to be submitted in e-format. Cost of Tender Document and Earnest Money Deposit (EMD) have to be submitted as per following details given in Para 2(b).

(b) The cost of EMD and cost of Tender paper can also be paid through online Banking/RTGS/NEFT/Demand Draft in favour of **Principal, Institute of Hotel Management, Bhubaneswar**, as per the following details.

Name of the Bank & Branch	Indian Overseas Bank, Macheswar, Bhubaneswar
Accounts Name	Principal, IHM CT & AM, V.S.S Nagar, Bhubaneswar
Account No.	091502000001017
IFSC Code	IOBA0000915
Address of the Bank	V.S.S Nagar, Mancheswar, Bhubaneswar
E-Mail id	hospitality@ihmbbs.org
Contact No.	9437001241

2(c) The scanned copies of the E-Payment receipt towards EMD/BID security, Cost of bid document have to be uploaded in the e-Tender Portal of M/s CEL INDIA LIMITED i.e www.tenderwizard.com/IHM

2(d) Amendments, if any, to the tender document will be notified in the above website as and when such amendments are made. It is the sole responsibility of the bidders who have downloaded the tender document from the website to keep themselves abreast of such amendments before submitting the tender document.

3(a) Intending bidders are requested to register themselves with M/s. CEL INDIA LIMITED through the website www.tenderwizard.com/IHM for obtaining user-id, Digital Signature etc., by paying Vendor registration fee and processing fee for participating in the above mentioned tender.

3(b) IHM Bhubaneswar has decided to use the process of e-tendering for inviting this tender and thus the physical copy of the tender would not be sold.

3(c) The bidders shall furnish a declaration that no addition / deletion / corrections have been made in the downloaded tender document being submitted and it is identical to the tender document appearing on Web-site (www.tenderwizard.com/IHM)

3(d) In case of any correction/ addition/ alteration/omission is found in the tender document; the tender bid shall be treated as non-responsive and shall be rejected.

4(a) The bidder should have **experience**

4(b) The documents as listed out in Section IV must be uploaded in the E-Tender Portal.

5(a) IHM Bhubaneswar has adopted e-tendering process which offers a unique facility for Public Online “Tender Opening Event (TOE) “. IHM BHUBANESWAR’s Tender Opening Officers as well as authorized representatives of bidders can attend the Public Online Tender Opening Event (TOE) from the comfort of their offices. However, if required, bidders or their authorized representatives can attend the Tender Opening Event in IHM Bhubaneswar where IHM Bhubaneswar Tender Opening Officers would be conducting Public Online Tender Opening Event (TOE).

5 (b) **Eligibility criteria: The bidder must have the following eligibility to participate in tender:**

01 **Separate DD/NEFT/RTGS** of Rs.1000/- and Rs.15,000/- made in favour **Principal, Institute of Hotel Management, Bhubaneswar ” Payable at Bhubaneswar** should be attached with the form towards form charges(non-refundable) and earnest money(refundable) respectively.

02 The tender shall be opened by the committee in presence of the tenderers or his/her representative.

03 The Bidder should be exclusively of its service center at Bhubaneswar

- 04 The tenderer must have prior experience in maintenance /installation relevant products in tender to any Government/ PSUs/Govt. Education Institute in India. The Documentary proof for the same must be enclosed.**
- 05 The photocopies of Firms Registration/ Trade License, GST Number & PAN Card should be enclosed with the bid documents.**
- 06 The Authority reserves the right to accept or reject any or all the tenders without assigning any reason thereof or order for re tender of entire work at any time.
- 07 The EMD amount is interest free and will be refundable to the unsuccessful bidders without any accrued interest on it.
9. The tender paper submitted without EMD, mentioned above will be summarily rejected.
10. Incomplete, ambiguous, Conditional tender bids are liable to be rejected.
11. IHM Bhubaneswar reserves the right to accept or reject any or all tender bids without assigning any reason and is not bound to accept the lowest tender.
12. **All documents submitted in the bid offer should be preferably in English. In case the certificate viz., experience, registration etc., is issued in any language other than English, the bidder shall attach an English translation of the same duly attested by the bidder & the translator in addition to the relevant certificate. All computer generated documents should be duly signed by the bidder**

Final Authority

If the tenderer desires to appeal against any matter he shall appeal to Principal/Secretary, Institute of Hotel Management Catering Technology & Applied Nutrition, Bhubaneswar whose decision on such matters shall be final and conclusive.

Arbitration

Any dispute or difference between the parties with regard to this document and all connected and related matters whatsoever shall be discussed and settled amicably. In the event of any failure to resolve the disputes or difference whatsoever shall be referred to the sole Arbitrator appointed by the Institute. The decision of the Arbitrator will be final and binding on both sides.

Sd/-
Principal

SECTION-II

12. DOCUMENTS TO BE SUBMITTED FOR BID

- a. The details of documents to be submitted through online in e-Tender Portal are as detailed at **Section IV**. If any one of the above items required to be submitted along with the Technical bid is found wanting, the offer is liable to be rejected at that stage.
- b. Documents in original should be submitted for verification if required by the Tendering Authority.
- c. The bidder will verify the genuineness and correctness of all documents and certificates including experiences/performance certificates, submitted by the bidder or any other firm/associates before submitting them in the bid. The onus of proving genuineness of the submitted documents would rest with the bidder.
- d. As per the requirement of the tender's condition, if any documents/paper/certificate submitted by the bidder is found to be false/fabricated/tampered /manipulated at any stage during bid evaluation or after award of contract, then the bid security (EMD/PBG) of the bidder would be for feited and the bidder would be disqualified from the tender. Action would be taken for banning of business dealing with the defaulting firm. In case contract has already been awarded to the bidder ,then PBG would be forfeited and the contract would be rescinded/ annulled and IHM Bhubaneswar would be at liberty to procure the services from any other source at the risk and cost of the defaulting bidder. Action would also be taken for banning business dealing with the defaulting firm.

13. AMENDMENT TO BID DOCUMENT

- (a) At any time, prior to the date of submission of bid, tendering authority may, for any reason whether at its own initiative or in response to a clarification required by a prospective bidder, modify the bid documents by amendments.
- (b) The amendments shall be notified in the E-Tender Portal and these amendments will be binding on them.
- (c) In order to afford prospective bidders reasonable time to take the amendments into account in preparing their bids, the Tendering authority may, at its discretion, extend the deadline suitably for the submission of bids.
- (d) It is the sole responsibility of the bidder to confirm from the E-Tender Portal and/or from the following contacts regarding amendments, if any, or any other clarifications before uploading of the tender document CEL INDIA LIMITED Tender Wizard Help Desk Contact Shri Sanjeeb Mahapatra, Mob-08249821902, 011-49424365 email id: twhelpdesk404@gmail.com,

14. PREPARATION OF BID DOCUMENTS – TECHNICAL BID & FINANCIAL BID

It is a two bid system and the bid prepared by the bidder shall comprise Technical Bid and Financial Bid

15. BID FORMS

The bidder shall fill in the tender document in all respects, sign on all pages along with seal of the firm if any and upload required scanned documents as per **section-III** of the same in e-Tender Portal.

16. BID PRICE

The bidder shall quote rates in FINANCIAL BID given in **Section III**.

17. COMPLIANCE

The bidder should ensure unconditional clause- by – clause compliance with all the terms and conditions

18. A. BID SECURITY/EMD

- (a) The bidder must deposit the amount for bid security/EMD as stated in Section I para 2b
- (b) The Bid security of unsuccessful bidder will be discharged / returned as early as possible .
- (c) A BID WITHOUT BID SECURITY/ BID SECURITY WITH OUT BID SHALL BE TREATED AS NON-RESPONSIVE AND SHALL BE REJECTED BY THE TENDERING AUTHORITY.

B. FORFEITURE OF BID SECURITY/EMD. The Bid Security/EMD may be forfeited

- (a) If the successful bidder backs out to accept the tender and/or does not deposit the performance security
- or(b) The successful bidder does not come for execution of agreement after deposit of performance security deposit within the scheduled time
- (c) Withdraws his bid during the period of bid validity specified by the bidder in the bid form;

19. FORMAT AND SIGNING OF BID

- (a) The bid shall contain no interlineations, erasures or overwriting, except as necessary to correct errors made by the bidder in which case such corrections shall be signed by the persons signing the bid.
- (b) The over writing / erasures in the bid made by the bidder shall be signed by the person signing the bid.
- (c) The letter of authorization shall be indicated by written power-of-attorney, if any, accompanying the bid. All pages of the original bid, except for un-amended printed literatures, shall be signed by the person or persons signing the bid.

20. PREPARATION & SUBMISSION OF BIDS:

I) Contents of the Bid:

The bid contains three parts –

Part A: The scanned copies of the Payment of Cost of Tender paper and EMD through online/NEFT / RTGS & Power of attorney (If applicable) have to be uploaded in thee-Tender Portal of M/s CEL INDIA LIMITED.

Part B: The Second part relates to uploading of scanned documents required for Technical Bid as per **Section III** in the appropriate place of the e-Tender Portal.

Part C: The third part relates to uploading of Financial Bid containing the Price schedule in excel format filled carefully in the appropriate place of the e-Tender Portal.

II. Submission of the Bid:

- a. All the clauses of the bids must be complied with and price bids must be quoted online by the bidders before the locking/closing time of the bid as scheduled..
- b. Scanned documents wherever necessary are to be uploaded in the appropriate places of the e-tender portal.
- c. The bidder shall submit a set of entire document signed in all pages, downloaded from e-Tender Portal against each individual bid before signing of the agreement.
- d. The Bidder can bid through the user-id allotted to him by M/s CEL INDIA LIMITED in e-Tender Portal along with requisite Earnest Money Deposit (EMD) and cost of Tender Paper.
- e. If any one of the document required to be submitted as referred to in **Section III** of this is found to be wanting, the concerned bid shall be rejected at the opening stage itself by the TEC of Technical Bid Evaluation.
- f. Wherever brand and quantity of any article sealed is not mentioned in the tender form, the details of such article are to be mentioned by the tenderer in the remarks column.
- g. The IHM Bhubaneswar may, at its discretion, extend the deadline for the submission of the bids by amending the bid document in accordance with NIT in which case all rights and obligations of the IHM BHUBANESWAR and bidders previously referred to the deadline will thereafter be subject to the extended deadline.

21. LATE BIDS, MODIFICATIONS AND WITHDRAWAL OF BIDS

- (a) After the Locking Time, no bidder can submit the bid.
- (b) The bidder may withdraw his bid after submission prior to the deadline prescribed for submission of bids. The bidder's withdrawal shall have to be online and digitally authenticated.
- (c) No bid shall be modified subsequent to the deadline for submission of bids as above

22. BID OPENING AND EVALUATION

- a) Financial bids & Technical bids shall be submitted by the bidder at the same time. The bids will be opened in two stages. The Tendering Authority will open the technical bids in the presence of bidders or their authorized representatives on the due date. The bidder or one of his authorized representatives shall be permitted to attend the bid opening. Authorization letter shall be submitted by the bidders before they

are allowed to participate in bid opening. The bidders can view the opening details after the Tendering Authority opened them.

(b) The date fixed for opening of bids, if subsequently declared as holiday by IHM Bhubaneswar, the revised date of schedule will be notified in the e-Tender Portal. However, in absence of such notification, the bids will be opened on the next working day, time remaining unaltered.

(c) Technical bids will be evaluated by the Tendering Authority and after completion of the technical Evaluation; the eligible bidders list for the financial bid opening will be made available in the e-Tender Portal.

(d) Opening date and time of Financial Bid will be notified in the e-Tender Portal after opening of the Technical Bid.

23. PLACE OF OPENING OF TENDER BIDS

Authorized representatives of bidders (i.e. vendor organization) can attend the Tender Opening Event (TOE) in the "IHM Bhubaneswar Office", where IHM Bhubaneswar Tender Opening Officers would be conducting through online e-Tender in **Scheduled date & time**.

24. PRELIMINARY EVALUATION

(a) Tendering authority shall evaluate the bids to determine whether they are complete in all respects, whether any computational errors have been made, whether required sureties have been furnished etc.

(b) Prior to the detailed evaluation, the Tendering authority will determine the substantial responsiveness of each bid to the Bid documents.

(c) For purposes of these clauses, a substantially responsive bid is one, which conforms, to all the terms and conditions of the Bid documents without any material deviation. The tendering authority's determination of bid's responsiveness shall be based on the contents of the bid itself without recourse of extrinsic evidence.

(d) A bid, determined as substantially non-responsive will be rejected by the Tendering authority and shall not, subsequent to the bid opening, be made responsive by the bidder by correction of then on conformity. The tendering authority shall not be bound to show the reasons/causes of rejection of the bid.

(e) The Tendering authority may waive any minor infirmity or non-conformity or irregularity in a bid, which does not constitute a material deviation, provided such waiver, does not prejudice or affect the relative ranking of any bidder.

25. EVALUATION AND COMPARISON OF SUBSTANTIALLY RESPONSIVE BIDS

(a) The Tendering authority shall evaluate and determine as to whether the bid is substantially responsive or not as per above conditions.

(b) Arithmetical errors shall be rectified on the following basis. If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected by the Tendering authority. If there is a discrepancy between words and figures, the amount in words shall prevail.

(c) If the bidder does not accept the correction of the errors, his bid shall be rejected.

(d) Tendering authority may negotiate with L1 bidder

26. CONTACTING THE TENDERING AUTHORITY

(a) Subject to seeking clarifications on e-tendering and tender document, no bidder shall try to influence the Tendering authority on any matter relating to its bid, from the time of the bid opening till the time the contract is awarded.

(b) Any effort by a bidder to influence the Tendering authority in the tendering authority's bid valuation, bid comparison or contract award decisions shall result in the rejection of the bid.

Award of contract & Work:

a) The IHM Bhubaneswar shall consider award of contract only to those eligible bidders whose offers have been found technically, commercially and financially responsive, eligible and accepted. Normally the bid of the tenderer who quote the lowest rate (as mentioned in financial bid) will be accepted.

b) However the IHM Bhubaneswar reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids, at any time prior to award of contract without assigning any reason whatsoever and without thereby incurring any liability to the affected bidder or bidders.

c) The IHM Bhubaneswar reserves the right to disqualify such bidders who have a record of not meeting contractual obligations against earlier contracts entered into with the IHM Bhubaneswar.

27.SIGNING OF CONTRACT AGREEMENT:-

The successful tenderer shall be required to execute an agreement on a non-judicial stamp paper of Rs.100/- (Rupees One Hundred only) at his own cost as per the enclosed proforma within 10(Ten) days from the date of deposit of PSD in this office. In the event of failure of the tenderer to sign the agreement within 10(Ten) days of being called upon to do so after depositing required PSD, or in the event of his failure to start the work as stipulated in the work order, then the amount of PSD. (Performance Security Deposit), shall be forfeited by IHM Bhubaneswar and the acceptance of the tender shall be considered as revoked.If the bidder expired in the middle of the tendering process, the legal heir will be permitted to enter into the agreement.

28.VALIDITY OF THE CONTRACT.

i). The contract shall be **valid for ONE years** from the date of signing of the contract.

He also reserves the right to cancel the contract at any time without assigning any reasons..

29. E-TENDERING INSTRUCTIONS TO BIDDERS

The instructions given below are CEL INDIA LIMITED's e-tender portal centric and for e-tenders invited by the IHM Bhubaneswar

A. General:

a. Submission of Bids only through online process is mandatory for this Tender for conducting electronic tendering the Tendering Authority is using the e-Tender Portal (<https://www.tenderwizard.com/IHM>) of M/s CEL INDIA LIMITED , a Government of India Undertaking.

b. For participating in this tender online, the following instructions are to be read carefully. These instructions are supplemented with more detailed guidelines on the relevant screens of the Electronic Tendering System (ETS.).

i) It is advised that all the documents to be submitted (**Section III**) are kept scanned or converted to PDF format in a separate folder on your computer before starting online submission. The Price bid may be downloaded and rates may be filled appropriately. This file may also be saved in a secret folder on your computer.

ii. While uploading the documents, it should be ensured that the file name should be the name of the document itself for easy pairing and scrutiny.

B. Tender Bidding Methodology:

It is a Two Stage bidding system–.

Financial bids & Technical bids shall be submitted by the bidder at the same time.

C. Broad outline of activities from Bidders perspective:

a. Procure a Digital Signature Certificate (DSC)

b. Register for Electronic Tendering System (ETS) in e-Tender Portal.

c. Create Users and assign roles on ETS

d. View Notice Inviting Tender (NIT) on ETS

e. Download Official Copy of Tender Documents from ETS

f. Clarification to Tender Documents on ETS – Query to IHM BHUBANESWAR (Optional)

g. View response to queries posted by IHM Bhubaneswar, through addenda.

h. Bid-Submission on ETS

i. Attend Public Online Tender Opening Event (TOE) on ETS – Opening of Technical-Part

j. Post-TOE Clarification on ETS (Optional)

k. Respond to IHM Bhubaneswar's Post-TOE queries

l. Attend Public Online Tender Opening Event (TOE) on ETS – Opening of Financial-Part

(Only for Technically Responsive Bidders)

D. Digital Certificates

For integrity of data and its authenticity/ non-repudiation of electronic records, and be compliant with IT Act 2000, it is necessary for each user to have a Digital Certificate (DC). Also referred to as Digital Signature Certificate (DSC), of Class III issued by a Certifying Authority (CA) licensed by Controller of Certifying Authorities (CCA) [refer <http://www.cca.gov.in>]. Certifying Authority (CA) licensed by Controller of Certifying Authorities (CCA) [refer <http://www.cca.gov.in>].

E. Registration

Amendments, if any, to the tender document will be notified in the above website as and when such amendments are notified. Intending bidders are requested to register themselves with M/s. CEL INDIA LIMITED through e-Tender Portal for obtaining user-id, Digital Signature Certificates etc., by paying Vendor registration fee and processing fee for participating in the above mentioned tender. After successful submission of Registration details and Vendor registration fee and processing fee (as applicable), please contact CEL INDIA LIMITED Helpdesk and IHM BHUBANESWAR Contact Points (as given below), to get your registration accepted/activated.

CEL INDIA LIMITED Tender Wizard Help Desk Contact	Shri Sanjeeb Mahapatra, Mobile no. 08249821902, 011-49424365 email id: twhelpdesk404@gmail.com
IHM Bhubaneswar Contact- 1	Mrs Sharada Ghosh Mob No- 9437001241 / 9437574465 E-Mail- hospitality@ihmbbs.org

**30. How to participation in e-tender all the instruction available in the link-
<https://www.tenderwizard.com/ROOTAPP/DataDisplay.jsp>**

31. INTIMATION OF CORRECTIONS/MODIFICATIONS TO TENDER DOCUMENT

The correction/modification, if any, in the tender document will be uploaded in the Website i.e. www.ihmbbsr.org and www.tenderwizard.com/IHM up to **due date and time** which will be treated as final. The amendments if any will not be published in the Newspaper. It is the responsibility of the bidders to visit e-Tender Portal and keep themselves updated regarding amendments/correction/modification etc.

32. Payment Terms:

After installation & commissioning of equipment's payment release to the Supplier.

**Sd/-
Principal**

Technical Specifications:-

1KVAOnlineUPS		Compliances Yes/No	Remarks
INPUTPARAMETERS			
Configuration	1phase,L-N+PE		
Nominal Voltage	208/220/230/240Vac		
Voltage range	170Vac/150Vac/130Vac/100Vac+/-5%(based on load percentage 100%-80% / 80% -70% / 70-60% / 60%-0)		
Frequency	40Hz~70Hz		
Power Factor	>=0.99@220-230Vac(l/PVtg)		
Current Distortion (I-THD)	<=5%		
BYPASS			
Voltage	220/230/240Vac		
Voltage Range	120VAC~288VAC		
Frequency	50Hz		
Frequency Range	+/-10%		
OUTPUTPARAMETERS			
Capacity	1KVA/800W		
Power Factor	0.8		
Configuration	1phase,L-N+PE		
Nominal Voltage	220/230/240Vac		
Voltage Regulation	+/-1%(Batt.Mode)		
Voltage THD	2%THD,Linearload,5%THD,Non-Linearload		
Frequency	50Hz/ 60Hz		
Frequency Regulation- (Batt. Mode)	±0.25Hz		
Frequency Regulation (synchronized Range)	47~53Hzor57~63Hz		
Crest Factor	3:1max.		
Transient Response	<150ms(Upto recover static regulation after full RCD Load take on/off)		
Recovery time	4hoursto90%recovery		
Overload capacity	105%to125%-5mintobypass,125%to150%-1min To bypass 150%to200%-10sectobypass,>200%up-250msec To bypass		
AC Mode	86%		
Battery Mode	83%		
Transfer time- Mainsto battery	0millisec		

Transfer time-Inverter to bypass - Synchronization mode	4msmax		
Parallel Redundancy	NO		

BATTERYCHARGER			
Charging Voltage	27.4Vdc+/-0.05V		
Maximum charging current-STD./ LB.	1A(MAX)(STD); 8A(MAX)(LB)		
BATTERYPARAMETERS			
Type(Built-in for STD Model)	12V/9AhSMF		
No. of battery blocks(Std)	2		
Battery Voltage(Std/ LB)	24V		
Recharge time	for STD model : 5 hours recovers to 90% capacity (typical)/for LB Model: Depending on the capacity of ext. battery.		
ENVIRONMENTAL PARAMETERS			
Operating temperature	0to 40deg.centigrade		
Storage temperature	-20to50Deg.C		
Relative Humidity	20-95%RH@0-40Deg.C		
Noise level	<50dBA@1mtr		
Temperature de rating	N/A		
Altitude	IEC62040-3TheUPScanoperate< 4KM		
MECHANICALPARAMETERS			
Depth X width X Hight (MM) (Std & LB Model)	380x438x88(2U)		
Weight	13.2kgforSTD; 9.1kgforLBmodel		
Ventilation	Forced-Air cooled		
Cable Entry	Backside		
Colour / Panel finish	IBM black		
Base castor wheels	No		
Protection	IP20		
Communication			
MONITORING SOFTWARE	SNMP, Relay Card & Modbus Card, View Power Pro Software		
STANDARDS	EN62040-2-2006:EMC,EN62040-1-1:2003:Safty, IEC/EN62040-3:Performance		

Inverter Devices	IGBT		
ISO certifications	ISO9001,ISO14001,ISO27001,ISO45001:2018		
BIS registration	Available		

65InchesDisplay	
SPECIFICATION/QUALITATIVE REQUIREMENT	COMPLIANCE(YES/NO)
<p>cd/m², Typical Contrast Ratio - 1200:1 , Dynamic Contyrast Ratio - 30000:1, Native Resolution - 4K Ultra-HD (3840 x 2160) , Viewing Angle (H/V) - 178^o/178^o,AspectRatio-16:9,RefreshRate (Hz)-60Hz,EstimatedLifeTime-50,000 Hours (Typical), Display Color (BIT) - 1.07 Billion (10-bit), Installation Orientation - Landscape, Response Time - 8 ms, Anti-Glare - Anti Glare Coating, Bonding -Zero Optical Bonding, Technology - Infrared Touch, Annotation - Supported, Touch - 20 Points, Passive Pen - ±1mm, Touch - ±1mm, Touch Resolution -32,768 x 32,768, Surface Protection - Thick Toughened Glass(Level7HonMohsscaleofMineralHardness),Touch Tools-Finger, Stylus, Glove, Opaque Objects, Simultaneous Writing, Pen, Touch, Palm Erase - Yes, Writing Stylus/Pen Location - Magnetic Mounting on IFPD Panel Front, System Version -Android™v13.0, Browser - Yes, Office - Yes, CPU Quad-core, Internal Storage - 32 GB, RAM - 4GB, Inputs Side Panel - 1 x Mini AV(3.5mmminijack,2xHDMI2.0(60Hz/4K),HDMIv2.0(ARC)x1,Inputs Front Panel - 1 x HDMI 2.0(60 Hz/4K), Outputs Side Panel - 1 x HDMI-Out, 1 x SPDIF-Out, 1 x Earphone Out (Stereo Audio), USB Side Panel - 1 x USB- B(Touch), 1 x USB-A 2.0, 2 X USB-A 3.0 , USB Front Panel - 2 x USB-A 3.0, 1 x USB-B3.0, 1 x USB-C, Ethernet Side Panel - 1 x RJ45 Input, 1 x RJ45 Output, Control Side Panel - 1 x RS232C Control Signal Interface, Antenna WiFi + Bluetooth - 3 + 1 (Wifi 6, 802.11a/b/g/n/ac 2.4 GHz / 5GHz 2T/2R, Bluetooth 5.2), IR Receiver - Yes, Air Play Discovery by Bluetooth - Yes, Mirror/Screen share - Yes, Lock + Teminate Session - Yes, File/URL Sharing - Yes, BYOD - Yes, Collaboration - Screen Mirroring, Digital Whiteboard, Office, Teaching Tools, Screen Recording, Windows OPS - Intel Standard 80 Pin OPS- Optional, Speakers - 18W x 2 (Stereo), OTA Firmware upgradation - Yes,ScreenLock-Yes,PinCode Protection-Yes, Power Supply(Internal)-AC100- 240V, 50/60Hz, Consumption ≤300W , Standby Mode <0.5W (Standby), Auto powerOn/Off Setting-Yes ,Dimension (LxH xD)mm -1484.5 x908x90,</p>	

9UIndoor/12U		
Parameter	Specifications	Compliance
Size	600Wx500D	
Form factor	9U/12U	
	Wall mounted	

Construction	Front frame integrated with top, bottom, front and two side panels for better rigidity and strength	
	Wall Mounting brackets at rear	
Accessories	1UCantilever Tray- 255D	
	PowerDistributionUnit-06AmpUniversal-06 Socket-16AmpSwitchwithIndicator-06Amp Fuse-06Amp3PinPlugwithPowerCable0.75 sq.mm 1.5meter Length - Black Fine Tex. - Assembly	
Equipment cooling	1coolingFan's-230VAC- 90CFM,dB 42	
Compliance with standards	UL2416.,DIN41494,IECEN60529,IECEN62262, IEC EN60068-2-11,ISO9001:2008	
Degree of Protection	IP20accordingto IEC60529, IK08according to IEC EN 62262	

SPECIFICATIONFOR8portPOESwitch		
SPECIFICATION/QUALITATIVE REQUIREMENT	COMPLIANCE (YES/NO)	REMARK
8Port PoE+ 2* SFP Giga Layer 3 Managed Industrial switch, Each port Support POE af/at(15.4/30Watt),Total power Budget 240Watt,, meet IP40 protection ,6 KV Ethernet surge protection, Support bus/star topology and ring topology, ERPS, Support ,Web,SNMPv1, v2, v3,VALN, QoS , ACL, MAC -IP Binding, MAC Binding, prevent DoS attack, port mirroring, port aggregation,Multicast,spanningtree,6KVLightening protection,operatingtemperature-40°Cto+85°C ,Vibration,Freefall,Shock,IPV6,RedundantPowerSupply		

TENDERSPECIFICATIONFORSOLIDCABLECATEGORY6UTPFR-PVC

SR.NO.	SPECIFICATION/QUALITATIVE REQUIREMENT	COMPLIANCE (YES/NO)
1	The4pairUnshieldedTwistedPaircables shallbeUL Listedand ETL verified	
2	This cable well exceeds ther equirements of ANSI/TIA-568-C.2andISO/IEC 11801ClassE	
3	NominalOuterDiameterofCables shouldbe5.8±0.2mmandConductor Diameter23AWG	
4	Construction:4twistedpairsseparatedbyinternalPECrossSeparator. Full separator. Half shall not be accepted. Rip Cordis must.	

5	Conductor: Solid bare Copper, Outer jackets heath: FRPVC with UL approved CM/CMR rated cable. Jacket color: Grey	
6	Insulation Material: High Density Polyethylene (HDPE)with Insulation Diameter:0.89±0.01 mm	
7	DielectricStrengthofcablesouldbe2.5KVDCfor2seconds	
8	Bending Radius:<4XCableDiameterat-20°C±1°C PullingForce:25.35lbs	
9	ElectricalParameters:Insertionloss(Attenuation),NEXT,PSNEXT,ELFEXT (ACRF),PSELFEXT(PSACRF),Return Loss, ACR and PSACR.	
10	InsertionLossof32.8db/100mat250MHz	
11	Cablesouldsupportoperatingtemperaturefrom-20°to+70°C	
12	CablesupportConductorResistances≤9.38Ω/100mMax.	
13	Mutual Capacitance of cable should be<5.6nF/100mMax.	
14	Resistance Unbalance of cable should be5%Max.	
15	CapacitanceUnbalanceofcablesouldMax.330pF/100m	
16	Cable support Delay Skew:<45ns/100m,OperatingVoltage:72V	
17	Nominal Voltage of Propagation(NVP):69%andCurrentRating:1.5AMax.	
18	Impedance:100±15Ω@100MHz.andPropagationDelay@250MHz:536 ns/100m	
19	ETLVerified4-ConnectorChannelpformancecertificate	
20	RoHS Compliant	
21	Printed sequential Length Counter of each meter on Outer Jacket	
22	Category6UTPcablesshallSupportsGigabitEthernet(1000base-T) standardandOperatesatbandwidthof250MHz	

16CHNVRWithAISupport		
Make		
Model		
Features	Technical parameter	Compliances Yes/No
Access Channel	16	
Incoming Band width	160Mbps	
Outgoing Bandwidth	64Mbps	
Resolution	8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF	
Preview decoding capability	8MP*2,6MP*2,5MP*3,4MP*4,3MP*5,1080P*8,720P*16,4CIF*	
Playback decoding capability	8MP*2,6MP*2,5MP*3,4MP*4,3MP*5,1080P*8,720P*16	
Video Output	Simultaneous HDMI and VGA outputs	
HDMI Output	HDMI:1024*768(60Hz),(720P)1280*720(50Hz/60Hz),1280*800(60Hz),1440*900(60Hz), (1080P)1920*1080(50Hz/60Hz),(2K)2560*1440(30Hz),(4K)3840*2160(30Hz)	
VGA Output	VGA:1024*768(60Hz),(720P)1280*720(50Hz/60Hz),1280*800(60Hz),1440*900(60Hz),	

	(1080P)1920*1080(50Hz/60Hz)	
Multi-screen Display	1/2/3/4/5/6/7/8/9/10/12/13/16	
Audio Input	1-ch,3.5mm	
Audio Output	1-ch,RCA(Linear,1KΩ)	
Two-Way Audio	1-ch,3.5mm,usingtheaudioinput	
Live view display	Simultaneous Output:	
	VGA:1/2/3/4/5/6/7/8/9/10/12/13/16	
	HDMI:1/2/3/4/5/6/7/8/9/10/12/13/16	
Compression		
Video	S+265;H.265;S+264;H.264	
Audio	G711A;G711U;AAC;ADPCM_DIV4	
Stream Type	Video; Video & Audio	
Network		
NetworkProtocol	802.1X;ARP;DDNS;DHCP;DNS;Easy DDNS;FTP;HTTP;HTTPS;ICMP;IGMP;IPv4;IPv6;	
	Multicast;NFS;NTP;PPPoE;RTCP;RTP;RTSP;SM B/CIFS;SMTP;SNMP;SRTP;SSH;SSL;	
	TLSv1.2,TLSv1.3;TCP/IP;UDP;Unicast;UPnP	
Mobile Phone Access	Android;iOS;P2P_A	
System Compatibility	ONVIF(profileT/S/G);CGI;SDKOEMshould activememberin ONVIF	
Record Playback		
Multi-channel Playback	16	
Record Mode	Manual recording; alarm recording; Schedule recording	

General Alarm	Motion; Mask Alarm; Alarm Input(IPC);Video Loss; Alarm Input(NVR);Manual Alarm	
Alert Alarm	IP Conflict; MAC Conflict; Network Disconnected; No disk; Illegal Access; Disk group space alert; Disk Full; Disk R/W error; Video Abnormal;	
	Abnormal found insmart of disk; Abnormal temperature of the disk; Hot-spare Exception; IPC voltage abnormal; RTC failure	
Intelligent Analytics		
VCA Detection by Camera	Tripwire;DoubleTripwire;Perimeter;Object Abandon;Object Missing;Loiter;Running;	
	Parking;Heatmap;Lens Dignose;Scene Switch Dignose;Signal Abnormal Detection;	

	SignalLossDetection;OnDuty Detection;Crowd Detection;Safety Helmet Detection;	
	PeopleCounting;LinkToTracking;Face Detection;Humanbodytemperature measurement	
VCASearch	Heatmap;Early-warningsearch;Behavior Search;Thermographic retrieval;Duty search;Facialsearch	
ExternalPort		
HDD	2SATAports,upto10TBforasingle HDD. ThemaximumHDDcapacityvarieswith environmenttemperature	
DiskGroup	2DiskGroup	
USB	2*USB2.0	
HDMI	1*HDMI(supportsupto4Kresolution output)	
VGA	1*VGA	
RJ-45	1*RJ-45,10/100/1000Mbpsself-adaptive Ethernetport	
SATA	2SATAinterface	
AlarmI/O	4channelin;1channelout	
PowerSupply	DC12V3.3A	
PowerConsumption	< 10W(HDDnotincluded,idling)	
OperatingHumidity	10%~90%RH	
StorageTemperature	-10°C ~ +55°C	
Certification	CE,FCC,BIS&RoHS	
CCTVOEMshouldhavedirectpresenceinIndiafromlastten years		
CCTVOEMshouldhaveCMMIMaturityLevel5formanufactureandSolutionprovidedin		
OEM of the camera should not be blacklisted in India or anywhere globally forsecurity reasonsfromanyorganizationincludingONVIF.OEMShouldbeONVIFMemberandthe name of the OEM should reflect in the ONVIF site		

TheMACaddressoftheNVRmustberegisteredinthenameofquotedOEMbrand.Evaluation to be done during PoC/product approval.	
CCTVOEMshouldhavehavevalidISO9001,14001,27001,45001	
CCTVCamera&NVRshouldhavecertifiedwithSecuritytechniquesforCybersecurity	
ComplianceSheetcompiledbyOEMownoriginalletterheadwithprovidetheproducts	

5MPindoorcamerawith30M IR	
Make	
Model	

Featres	Technicalparameter	Compliances Yes/No	Remarks
ImageSensor	1/2.7"CMOS		
Min.Illumination	Color:0.001Lux@(F1.6,AGCON),B/W:0Lux with IR		
ShutterTime	1s~1/100000s		
Day&Night	IR-cutfilterwithautoswitch(ICR)		
LensType	Fixedfocallens2.8mmFocalLength		
IRDistance	30m		
Wavelength	850nm		
CompressionStandard			
VideoCompression	S+265/H.265/H.264B/H.264M/H.264H/M otion JPEG		
VideoBitRate	32k~16Mbps		
Audio Compression	G.711A/G.711U/ADPCM_D/AAC_LC		
AudioSamplingRate	8kHz/32kHz/48kHz		
Max.Resolution	2880×16205MPResolution		
MainStream	PAL:25fps(2880×1620,2688×1520, 2560×1440,2304×1296) 50fps(1920×1080,1280×720) NTSC:30fps(2880×1620,2688×1520, 2560×1440,2304×1296) 60fps(1920×1080,1280×720)		
SubStream	PAL:25fps(704×576,704×288,352×288, 640×360)NTSC:30fps(704×480,704×240, 352×240,640×360)		
CameraSuppot	HLC,BLC,AGC,3DDNRwith120dB WDR		
WhiteBalance	Auto/Semi- Auto/Manual/Sunshine/Nature Light/Warmlight Lamp/Daylight Lamp/FilamentLamp/LockWhiteBalance		
ROI	8rectangularstaticareas		
CameraSuppot	CoridorMode,Defogwith4areaset for privacyMasking		
OSD	Overlay of additional characters in 5 regions,2lines,withamaximumof127 charactersor42Chinesecharactersper region; 16*16/32*32/48*48/64*64/96*96		
AlarmTrigger	Motion Detection; Mask Alarm; Voltage Alarm; Disk Full; Disk R/W Error; IP Address Conflict; MAC Address Conflict; FTPServerException;EventInput,Event Output		

LinkageMethodtoNVRAlarm	sendemail;triggersound;trigger recording;triggercapture;notify surveillance center		
VideoAnalytics	Tripwire;Perimeter;		
CameraSupport	CamerasupportANRFunctionfordata reattachment		
Protocols	HTTP;HTTPS;TCP/IP;UDP;UPnP;ICMP; IGMP; SNMP; DHCP; DNS; DDNS; Easy DDNS; NTP; SMTP; SSL; 802.1X; QoS; IPv4; IPv6; P PPOE; SSH; Unicast; Multicast; RTCP; ARP; SRTP; RTSP; FTP; SFTP;NASsecurityEncrypting		
SystemCompatibility	ONVIFProfileS/T/G/M;CGI;Milestone; RTMP,OEMshouldactivememberof ONVIF		
CommunicationInterface	1*RJ-45,10/100Mbpsself-adaptive Ethernetport		
Audio I/O	1;1		
AlarmI/O	1-ch,T		
On-boardstorage	Support microSD/microSDHC/microSDXC card, up to 512 GB		

RTC	Yes		
OperatingHumidity	Humidity95%		
StorageTemperature	-40°C65°C		
StorageHumidity	Humidity95%orless(no condensation)		
PowerSupply	DC12V±25%,MAX6W;POE802.3af,MAX 7.5W		
Protection	IP67Lightningprotection,surge protectionandvoltagetransient protection		
Certification	FCC,CE,BIS&RoHS		
CCTV OEM should have direct presence in India from last ten years			
CCTV OEM should have CMMI Maturity Level 5 for manufacture and Solution			
OEM of the camera should not be blacklisted in India or anywhere globally for security reasons from any organization including ONVIF. OEM Should be ONVIF Member and the name of the OEM should reflect in the ONVIF site			
The MAC address of the IP cameras must be registered in the name of quoted OEM brand. Evaluaon to be done during PoC/product approval.			
CCTV OEM should have valid ISO9001,14001,27001,45001			

CCTV Camera & NVR should have certified with Security techniques for Cyber security		
Compliances Sheet complied by OEM own original letterhead with provide the products web link on the compliances sheet. All certificate is mandatory to submit		

SECTION III.

FINANCIAL BID

Name of the Contractor							
Sl. No.	Items Details	Qty	Unit	Quoted Price	Quoted Price In word	All Taxes (Including GST) Percentage	Total (Including All taxes)
1	5mp indoor camera with audio (Honeywell. Alcon. Bosch. Pelco. Etc.)	16	nos				0.00
2	16 CHAI NVR with 2D HDD Support (Honeywell. Alcon. Bosch. Pelco. Etc.)	1	nos				0.00
3	10 TB Surveillances HDD	2	nos				0.00
4	24 Port Managenet work PoE switch+SFP	1	nos				0.00
5	Pvc conduits	2000	metre				0.00
6	CAT 6 UTP Cable	3000	metre				0.00
7	1 MUTPCAT 6 Patch cord	16	nos				0.00
8	CAT 6 CATP Patch Panel 24 port	1	nos				0.00
9	Fibre 6 core armoured cable	1000	metre				0.00
10	12 port OFC Patch Panel+Loaded	1	nos				0.00
11	10 km 10/100/1000 media convert or full	4	nos				0.00
12	40 Inches Display with (OPS+UPS) 10 M	1	nos				0.00
13	1 KVA online UPS with Battery	3	nos				0.00
14	6 U network rack with Accessories	3	nos				0.00

15	27dbi rf radio 1500mbps	2	nos			0.00
16	Chemical Earthling	1	nos			0.00
17	Camera Mounting Box with accessories	16	nos			0.00
18	Installation commissioning					0.00
Total amount Including all Taxes						0.00

N:B :- Warranty 3 years for this project

SECTION IV
TECHNICAL BID

Sl no	Description	Remarks (Yes (Y), No(N), Not Applicable (NA)) (√ Tick whichever is applicable)		
		Y	N	NA
1	Photo copy of PAN Card			
2	Photo copy of Experience Certificate			
3	Photo copy of the computerized receipt (Online/RTGS/NEFT) towards cost of Tender Paper			
4	Photo copy of the computerized receipt (Online/RTGS/NEFT) towards cost of EMD/Bid Security			
5	Photo copy of valid GSTIN Registration Certificate.			
6	Copy of Income Tax Return filing(last year)			
7	Trade license true copy (attested by gazette officer) to be submitted along with the tender form.			
8	Self-Attested Photo copy of Original "Power of Attorney" in case person other than the tenderer has signed the tender documents			
9	Photo copy of "Partnership Deed" duly registered, if applicable			
10	copy of Declaration of Non - tampering of relevant document required for tender duly filled and signed. Annexure-A			
11	copy of Declaration for Downloading the tender Document duly filled in and signed vide Annexure-C.			
12	copy of Bid form duly filled and signed. Annexure-D			
13	copy of Clause by clause compliance duly filled in and signed. Annexure-B			
14	copy of the Check list duly filled in			
15	Bidder Profile			
16	copy of Undertaking regarding genuineness of the documents/information submitted duly filled in and signed. Annexure-E			
17	Firm registration, in case of partnership firm			
18	CCTV OEM should have valid ISO9001,14001,27001,45001			

Forwarding Letter

(To be submitted in the letter head)

To
The Principal
Institute of Hotel Management
Catering Technology & Applied Nutrition
Veer Surendrasai Nagar
Bhubaneswar-751010

Sub: Supply of (Name of Work)

Sir,

I hereby offer my rates to supply the raw materials to the Institute of Hotel Management Catering Technology & Applied Nutrition, Veer Surendrasai Nagar, Bhubaneswar-751007, The articles listed in the tender form in such quantities as may be required by the Institute from time to time at the rates mentioned in the schedule.

Enclosed

DD/NEFT/RTGS No.....Dt.....Rs.....(Earnest Money)

DD/NEFT/RTGS No.....Dt.....Rs.....(Form Charges)

Yours faithfully,

Place

Dt.

Full signature of the Tenderer with Seal

Institute of Hotel Management
Catering Technology & Applied Nutrition
Veer Surendrasai Nagar, Bhubaneswar-751010

.....
(To be filled up by the Tenderer)

- 1 Name of the Firm
- 2 Address
- 3 Telephone(O) (R) (M)
- 4 Name, Address and Telephone Nos. of the Contact Person
- 5 PAN No. GSTIN No.
- 6 (a) Name of the Banker
(b) Bank A/c No.
© IFSC Code
(d)Type of A/c
- 7 Whether you own any stall in local Market within Bhubaneswar Municipal jurisdiction(if yes, give details)
- 8 Whether you have previously supplied to this Institute(if yes, mention the year of supply)
- 9 Whether the supply was discontinued from the Institute (if yes, mention the reason)

Place
Date-

Signature of the Tenderer with seal

ANNEXURE-A

Declaration of Non tampering of tender document

I, Sri/Smt/M/s _____

(authorized signatory) hereby declare that the tender document submitted has been downloaded from the website "<http://www.ihmbhubaneswar.org>" or **www.tenderwizard.com/IHM** and I have checked up that no page is missing and all pages as per the index are available and no addition/deletion/correction/tampering has been made in the tender document. In case at any stage, it is found that any addition / deletion / correction has been made, IHM Bhubaneswar shall have the absolute right to take any action as deemed fit, without any prior intimation to me.

Place: _____

Date: _____

Signature of bidder/Authorized Signatory

Name _____

Seal of the bidder:

ANNEXURE-B

DECLARATION OF CLAUSE BY CLAUSE COMPLIANCE

I _____

(authorized signatory) hereby declare that I shall comply with all the terms and conditions of the tender documents as outlined in all the clauses unconditionally.

Place : _____

Signature of the Tenderer :

Date: _____

Name of the Tenderer

ANNEXURE-C

Declaration for Downloading the tender Document.

I _____
(authorized signatory) hereby declare that the tender document submitted has been downloaded from the website **www.ihmbbsr.org** or **www.tenderwizard.com/IHM** and no addition/deletion/correction has been made in the entire tender document. In case at any stage, it is found that the information given above is false / incorrect, IHM Bhubaneswar shall have the absolute right to take any action as deemed fit without any prior intimation.

Date: _____

Signature of Tenderer _____

Place: _____

Name of Tenderer _____

(Along with date & Seal)

ANNEXURE-D

BID FORM

To
The Principal
Institute of Hotel Management
Catering Technology & Applied Nutrition
Veer Surendrasai Nagar
Bhubaneswar-751010

Dear Sir,

1) Having the conditions of contract and services to be provided the receipt of which is hereby duly acknowledged, we, undersigned, offer to provide the same in conformity with the conditions of contract and specifications for the sum shown in the schedule of prices attached herewith and made part of this Bid.

2) We undertake, to enter into agreement within one week of being called upon to do so and bear all expenses including charges for stamps etc and agreement will be binding on us.

3) If our Bid is accepted, we will obtain the guarantees of a Nationalized/ Scheduled Bank for a sum not exceeding the Cost of specified Performance Bank Guarantee of the contract sum for the due performance of the Contract.

4) We agree to abide by this Bid for a period of **180 days** from the date fixed for Bid opening and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

5) Until an agreement is signed and executed, this Bid together with your written acceptance thereof in your notification of award shall constitute a binding contract between us.

6) Bid submitted by us is properly verified and prepared so as to prevent any subsequent replacement. We understand that you are not bound to accept the lowest or any bid, you may receive.

7) We understand that the Bid document so submitted is the true copy of IHM Bhubaneswar tender documents available on the IHM Bhubaneswar website www.tenderwizard.com/IHM. Any deviation will result in the rejection of the bid.

a. Date (DD/MM/YYYY) : _____

b. Signature of (Bidder or authorized signatory): _____

c. Name (Bidder or authorized signatory): _____

d. Duly authorized to sign the bid for and on behalf of bidder _____

(In case of authorization)

e. Witness

f. Address

ANNEXURE-E

UNDERTAKING REGARDING GENUINENESS OF THE DOCUMENTS/INFORMATION SUBMITTED.

I, Shri/Smt
Son/Daughter of Shrido hereby
undertake that all the documents / certificates submitted by me with this tender
..... (Name
of Work) are true and are exact copies of the original documents/certificates are available
with me. I further undertake that if at any time any information furnished in the
documents / certificates submitted by me are found to be false, IHM Bhubaneswar will
have every right to take suitable action against me including forfeiture of my EMD/
Performance Security Deposit, termination of my contact agreement and/or black-listing
of my contract as deemed fit.

Place:

Signature of tenderer /Authorised signatory

Date:

Name & Seal of the tenderer